



DEZHOU XINZHEN FITNESS EQUIPMENT CO.,LTD.

Address: 100 meters south of the intersection of Xiangjiang East Street and Huangshan Road, Ningjin County, Dezhou City, Shandong China

Tel & Fax: 0086-534-5423768

Cell & Whatsapp: 0086 15253480305

Skype: wendyyu

Email: xzhfitness666@xzhfit.com

Product Catalogue

This quotation is solid within 2 weeks

because of changeable material cost & currency exchange.

The price for full HQ container, less than 40 HQ container it's EXW price


Model	Name	Product pic.	Description
Cardio Machines			
XZ665	C2 Air Bike		Machine size: 1220*550*1270mm Packing Size: 1220*670*390mm/0.32cbm N.W/G.W: 34KG/40KG Max Weight: 180kg
XZ666	Commercial AB Coaster		Machine Size: 185*72*145cm Packing size: 157*46*56cm Machine NW/GW: 55kg/58kg Max capacity: 180kg
XZ667	water rower (wood)		Machine Size: 216*56*57cm Packing size: 220*60*59cm Weight : NW/GW: 40kg/44kg Max capacity: 260kg Display: Speed/Time/Dis./Calories/Heart rate Material: Oak wood / American ash Wooden thickness: 30mm With Double rail Package: 1pcs in 1 Wooden case/carton
XZ667A	water rower (wood)		Machine Size: 216*56*57cm Packing size: 220*63*61cm Weight : NW/GW: 40kg/60kg Max capacity: 260kg Display: Speed/Time/Dis./Calories/Heart rate Material: Oak wood / American ash Wooden thickness: 30mm With Double rail Package: 1pcs in 1 Wooden case/carton
XZ667B	Foldable water rower (Wood)		Folding size : 114.5*52*67cm Unfolding size: 220*52*56.5 cm Packing Size: 122*57*83cm 0.58cbm Wooden thickness: 30mm Net weight : 37kg Gross weight 42.5kg With Double rail Package: 1pcs in 1 Wooden case/carton
XZ669	water rowing machine (metal)		Machine Size: 220*55*50cm Packing size: 96*57*57cm + 150*12*11cm Material: Machine head: Square steel, bottom foot: 76 round steel tube Rail: Aluminum alloy N.W/G.W: 38kg/40kg Max capacity: 180kg Display: Speed/Time/Dis./Calories Tubing: High quality commercial tube, Thickness: 3mm



XZ670	Megnetic rower		Machine Size:153*46*18cm Packing size:155*18*9cm+105*44*99cm N.W/G.W:55kg/60kg Max capacity:150kg Dispaly:Speed/Time/Dis./Calories/weight/Sex/Age ect. System:Magnetic control Rowing machine
XZ670B	Rowing machine (old style monitor/plastic wheel)		Machine Size:235*63*36-108cm Packing size:143*40*55cm Max capacity:230kg N.W.:30kg G.W.:32KG Dispaly:Speed/Time/Dis./Calories System:Wind resistance Rowing machine Rail:Aluminum 10 levels adjust resistance Metal wheel with big resistance
XZ670B	Rowing machine (new style monitor/metal wheel)		Machine Size:235*63*36-108cm Packing size:143*40*55cm Max capacity:230kg N.W.:33kg G.W.:35KG Dispaly:Speed/Time/Dis./Calories System:Wind resistance Rowing machine Rail:Aluminum 10 levels adjust resistance Metal wheel with big resistance
XZ670C	Megnetic rower		Product size:185*51*73.5cm Dispaly:Speed/Time/Dis./Calories Packing size:1205*545*690mm/0.45cbm N.W.:37KG G.w.:43kg Max user's weight :150kg
XZ670D	Megnetic rower		Machine size:1850 x510x735mm Packing size:1205 x545x690mm 0.45cbm G.W.:43kg N.W.:37kgMax load:150kg 52pcs/20ft container 150pcs/40HQ
XZ670E	Air rower		Machine size: 2000*500*650mm Packing size: 1360*550*800mm N.W.: 53kg G.W.: 73kg Packing: plywood box
XZ670F	Air rowing machine		Machine size:2290*520*1220mm N.W./G.W.:53/73kg Max load:160kg
XZ670G	Air+magnetic rowing machine		Machine size: 2600*510*860mm Packing size: 1560*610*970mm N.W.: 46kg G.W: 57kg Packing: plywood box Resistance: 12level
XZ672	Skierg Machine (old style monitor/plastic wheel)		Resistance adjustable Windage adjustment:10 levels Machine size: 130*60*214cm Packing size:132.5*67*59.5cm Carton:132*64*55cm Dispaly:Speed/Time/Dis./Calories N.W.: 50KG G.W.:55kg


XZ672	Skierg Machine (new styl monitor/metal wheel)		Resistance adjustable Windage adjustment:10 levels Machine size: 130*60*214cm Packing size:132.5*67*59.5cm Carton:132*64*55cm Dispaly:Speed/Time/Dis./Calories N.W.: 50KG G.W.:55kg
XZ673	Ladder machine(new style monitor/metal wheel)		Machine Size:195*101*196cm Machine NW/GW:340kg/345kg Color:Black/ Silver/ Grey/Optional Steel Tube:Q235, 3mm oval tube Pulley;Cast iron, φ 106*20mm Cable:Steel Cable φ3.5 jacketed withPVC φ5.5mm outside diameter Nominal voltage :220V-240V/110V Power: 750W
XZ671-A	Air bike		Handlebar :Round tube Display: time, distance, calories, speed heart rate,etc. Drive :Belt +Chain Machine size:1293*592*1229mm Package size: 127*31*87.5cm Machine weight:49kg Gross Weight:55kg
XZ671-B	Air Bike		Handlebar :Flat elliptical tube Display: time, distance, calories, speed heart rate,etc. Machine size:1293*592*1229mm Package size: 127*31*87.5cm Machine weight:49kg Gross Weight:56kg
XZ671-C	Air Bike		Display: time, distance, calories, speed heart rate,etc. Drive :Belt +Chain Machine size:1293*592*1229mm Package size: 134X35X86cm /0.41cbm Machine weight:62kg Gross Weight:65.5kg
XZ671-D	New Air Bike		Display: time, distance, calories, speed heart rate,etc. Drive :Belt Machine size:1355*592*1229mm Package size: 134*36*92cm Machine weight:55kg Gross Weight:61kg
XZ671-E	Rouge Air bike		Display: time, distance, calories, speed heart rate,etc. Drive :Belt Machine size:1355*592*1229mm Package size: 1400*330*900mm /0.42cbm Machine weight:65kg Gross Weight:67kg
XZ671-F	Air bike		Machine size:1293*592*1229mm N.W./G.W.:55/65kg Max load:150kg Display:time ,distance, calorie,heart rate Material :steel
XZ671-G	Air bike		Machine size:1293*592*1229mm N.W./G.W.:55/65kg Max load:150kg Display:time ,distance, calorie,heart rate Material :steel

XZ-F102	Flip Tyre		Model no.XZ102 Flip Tyre Machine Size:1650*1220*510 mm Packing Size:132*80*65cm Max. load: 2.5 kg *4 5 kg *2 NW: 125 kg GW:154kg
XZ-T103	Commercial Trampoline		Dia :1.22m Net Weight:16KG Gross Weight :18kg Tube size:2.17mm Handle adjust range:20cm Max loaded :200kg Packing size:125*114*10cm
XZ-TK104	Tank Sled with Basket		Resistance adjustable Machine Size:1250x 810x 950mm N.W.:69.15 KG/ G.W.:90.95KG Packing Size:126*87*42cm +106*46*33cm/0.62cbm
XZ-FA105A	Small Fan 1meter		Machine size:1170x570x1300 mm Package size:1200x400x1170mm Wind leaf speed:700 rpm Motor type: permanent magnet stepless speed regulating motor Power:<600w Voltage and frequency:220V/50Hz Gross weight: 40.5kg Air volume: ≤22000 m ³ /h Air supply distance:25mmore than
XZ-FA105B	Big Fan		Voltage:220V/50HZ Fan speed:460T/M Fan volume:>38000m ³ /h Suit for 400-600sqm Net weight :51kg Gross weight :53kg Machine size :154*88*167cm Packing size :1101*751*530mm
XZ-NS106	Ski Simulator		Machine Size :1715*760*1310mm Packing Size:175*77*32cm /0.43cbm N.W.:52KG,G.W.:55KG
XZ-N107	High Leg Lifts		Moverment patterns:1-5 gears resistance adjustment Braking patterns:Magnet resistance regulation Resistance patterns:Manual adjustment Drive Mode:up and down with swing arm type Assembly Size; 1800*680*1680mm Packing Size:1600*700*950mm/1.064cbm Max loaded:180kg N.W./G.W.:130KG/150KG
XZ-N108	Climbing Machine		Self-generating 1-20 gears resistance adjustment heart rate fitness program, interval exercise program, target fitness program, LED alphanumeric information center,integrated bookshelf, integrated sundries plate, and support handle. Machine size: 173*84*185cm Packing Size 177*92*90cm/1.47cbm Net Weight:157kg G.W.:170kg
XZ-N109	Adjustable boxing Mitts		Machine size :506*691*1914 Weight :60kg

XZ-N110	Adjustable boxing Mitts		Dia:600mm Width:500 mmHeight :800-2060mm
XZ-N111	Commercial body Tester		Size:118*50*48cm Weight:40kg Controller 320*240 Digital screen in Chinese and English
XZ-N112	Climber		Size: 1150*1150*2500mm N.W./G.W.:108/152KG Packing Box1: 2440*570*250mm Packing Box2: 1180*1180*290mm
XZ-N113	Climber with monitor		Display: Time, Speed, Height, Step High, Step, Calorie, Resistance Size: 1150*1150*2570mm N.W./G.W.: 115/165KG Packing Box1: 1180*1180*290mm Packing Box2: 2540*370*380mm
XZ-N114	Transverse swing machine		Display function: time, distance, speed calories, heart rate, exercise model Resistance control: 1-16, EMS spontaneous, electromagnetic control system Movement mode: 8 adjustable movement mode The flywheel adopts high intensity magnet precise adsorption resistance adjustment system Packing: 1 plywood box Assemble size: 1020*1000*1720mm Packing size: 1050*1050*690mm/0.76 Gross weight: 127kg Net weight: 87kg Max User: 150kg Volume: 0.76cbm Packing quantity: 20ft/30sets; 40HQ/88sets
XZ-N115	Vertical Climber		Machine size:126.5*92*237 cm Pakcing size ;250*55*95cm 170kg/205kg
Spinning Bike			
XZ601			Main Wheel Weight 23KG Tube Type:Stainless Steel Tube □30*30 Stainless Steel Tube □30*60 Square Steel Tube □40*40 Vertical Adjustment of the Handlebar: Adjustable
XZ602			

XZ603	Commercial Spinning Bike (Belt Transmission can do with light)		Range: 38CM Horizontal Adjustment of the Handlebar Adjustable Range: 8.5CM Vertical Adjustment of the Seat: 50CM Horizontal Adjustment of the Seat: 6.5CM Oversized Central Axis: Dia: 40mm Pedal Shaft Core: Dia: 18mm N.W.: 68KG G.W.: 72KG Packaging Size: 109*24*78.5CM Assemblage Size 125*66*115CM
XZ604			
XZ605			
XZ701	Commercial Spinning Bike (Belt Transmission can do with light)		Main Wheel Weight 23KG Tube Type: Stainless Steel Tube □30*30 Stainless Steel Tube □30*60 Square Steel Tube □40*40 Vertical Adjustment of the Handlebar: Adjustable Range: 38CM Horizontal Adjustment of the Handlebar Adjustable Range: 8.5CM Vertical Adjustment of the Seat: 50CM Horizontal Adjustment of the Seat 6.5CM Oversized Central Axis: Dia: 40mm Pedal Shaft Core: Dia: 18mm N.W.: 68KG G.W.: 72KG Carton Size: 106*23*78CM Assemblage Size 125*580*115CM
XZ702			
XZ703			
XZ704			
XZ705			
XZ706			

XZ707			
XZ801	Commercial Spinning Bike (Belt Transmission without light		Main Wheel Weight 23KG Tube Type: Stainless Steel Tube □30*30 Stainless Steel Tube □30*60 Square Steel Tube □40*40 Vertical Adjustment of the Handlebar: Adjustable Range: 38CM Horizontal Adjustment of the Handlebar Adjustable Range: 8.5CM Vertical Adjustment of the Seat: 50CM Horizontal Adjustment of the Seat 6.5CM Oversized Central Axis: Dia: 40mm Pedal Shaft Core: Dia: 18mm N.W.: 68KG G.W.: 72KG Carton Size: 106*23*78CM Assemblage Size 125*580*115CM
XZ802			
XZ803			
XZ804			
XZ805			
XZ902	Commercial Spinning Bike		1.Frame using ergonomic design, so that users feel more relaxed 2. The seat can be adjusted up and down,front and back,According to your need 3. The front arm can be adjusted up and down to accommodate users of different shapes. 4. The frame is provided with a water bottle rack, which is convenient for the user to place the kettle (provided by the kettle). 5. ront moving wheel design, mobile light and convenient, the main frame of 50 x 100 flat elliptical tube, all imported parts. Unique damping system not only extends the life of the foot, but also makes the movement more comfortable and dynamic. 6.Area covered:1130×640×1180 (L*W*H) mm 7.Chrome cast wheel: 22.5KGS 8.(Adjustment of the Handlebar (Dip))/Leather cushion 9.Packing Size(LxWxH):109×27×95cm 10.N.W.:66.5KGS G.W.:68.5KGS 11. 20' ,40'/Quantities 20'Container: 94 PCS 40'Container: 204 PCS 40'HQ: 216 PCS
XZ903	Commercial Spinning Bike		


XZ904	Commercial Spinning Bike		Main Wheel Weight :18KG Tube Type Flat elliptical:50*100mm Foot tube :Round Stainless Steel Tube :Dia 50mm Seat tube ,handle tube:Aluminum alloy:40*80mm N.W.: 65KG G.W.: 68KG Packaging Size: 110×30×97cm Assemblage Size:1088×560×1045-1300mm
XZ905	Commercial Spinning Bike		Main Wheel Weight :18KG Tube Type Flat elliptical:50*100mm Foot tube :Round Stainless Steel Tube :Dia 50mm Seat tube ,handle tube:Aluminum alloy:40*80mm N.W.: 65KG G.W.: 68KG Packaging Size: 110×30×97cm Assemblage Size:1088×560×1045-1300mm
XZ-N905	Commercial Spinning Bike		Main Wheel Weight :18KG Tube Type Flat elliptical:50*100mm Foot tube :Round Stainless Steel Tube :Dia 50mm Seat tube ,handle tube:Aluminum alloy:40*80mm N.W.: 65KG G.W.: 68KG Packaging Size: 110×30×97cm Assemblage Size:1088×560×1045-1300mm
XZ-N906	Magnetic Spinning Bike		Main Flywheel Weight: 17.4kg Machine Size :1171*589*1047mm Driving system:6pcs PLOY-V Belt with kevlar steel cable 2layer painting
XZ-906	Spinning bike		Flywheel Weight: 20KGS Area covered:1373*536*1310mm Packing size:125*96*28cm (Adjustment of the Handlebar (Dip))/Leather cushion Transportation wheels for easy portability Smooth, quiet belt drive mechanism Pad breaking system with infinitely adjustable breaking power OEM are welcomed
XZ-907	Commercial Spinning Bike		Main Wheel Weight :18KG Tube Type Flat elliptical:50*100mm Foot tube :Round Stainless Steel Tube :Dia 50mm Seat tube ,handle tube:Aluminum alloy:40*80mm N.W.: 60KG G.W.: 62KG Packaging Size: 110×30×97cm Assemblage Size:1088×560×1045-1300
XZ-908	Commercial Spinning Bike		Main Wheel Weight :18KG Tube Type Flat elliptical:50*100mm Foot tube :Round Stainless Steel Tube :Dia 50mm Seat tube ,handle tube:Aluminum alloy:40*80mm N.W.: 60KG G.W.: 62KG Packaging Size: 110×30×97cm Assemblage Size:1088×560×1045-1300mm

XZ-909	Magnetic Spinning Bike		Machine size:122*60*126CM Packing size:120*24*96CM N.W.:65kg G.W.:70kg Max load:150kg
XZ-910	Magnetic Spinning Bike		Machine size:130*56*120CM Packing size:130*80*28CM N.W.:65kg G.W.:70kg Max load:150kg
XZ-911	Magnetic Spinning Bike		Machine size:132*60*120CM Packing size:134*27*93CM N.W.:61kg G.W.:69kg
XZ-912	Magnetic Spinning Bike		machine size: 1600*630*1200mm Packing size: 1340*275*950mm N.W.: 68kg G.W: 72kg Drive: belt wheel: 18kg Shaft: 40kg, Pedal:20mm
XZ-SP911	Magnetic Spinning Bike		Product size: 1400*550*1130mm Package size: 1200*950*230mm Net weight/Gross weight: 54Kg/60Kg Maximum load:180kg Flywheel weight: 15kg Transmission mode: belt Resistance system: Magnetic resistance + physical resistance
XZ-SP912	Magnetic Spinning Bike with monitor		flywheel :16kg Max load weight :150kg N.W. :57kg G.W. :61.5kg Pedal material :Aluminum alloy centre shaft: 25mm machine size :131x51x130cm packing size :113x30x95cm Maine frame :Low-carbon steel Resistance : magnetic adjust Drive :belt
XZ-SP913	Spinning bike		flywheel: 18kg Machine size: 1140*536*1180mm Packing size: 1250*960*280mm N.W.: 57kg G.W: 67kg Drive: belt Center shaft: 40kg, Pedal:20mm adjust length of handle &seat:250mm
XZ-SP914	Magnetic Spinning Bike		N.W.: 40kg, Max load: 150kg Resistance system: rear magnetic Resistance adjust: magnetic Drive: belt Machine size: 1290*660*1110mm Packing size: 1260*270*900mm

XZ-SP915	Spinning bike		Machine size: 1250*520*960mm Packing size: 1150*220*960mm N.W.: 58kg G.W.: 62kg Drive: chain flywheel: 18kg Center shaft: 25mm, Pedal:20mm adjust length of handle & seat:250mm
XZ-SP916	Spinning bike		1.flat oval tube:50MM*100MM,40MM*80MM,thickness:2MM; 2.flywheel:20KG 3.Seat:front&back ,up&down adjust 4.N.W./G.W.:60KG/65KG; 5.Packing size:1150MM*320MM*960MM;0.35cbm 6.Machine size:1150MM*500MM*1100MM; 7.Colour: red、 silver grey,yellow,black
XZ-N920	Commercial treadmill (keyboard)		High-tech aluminum alloy running board, shock absorption system, Machine size:2070*880*1600mm Net weight:224kg Running Area:1520*570mm Max User weight:227kg
XZ-N920A	Commercial treadmill (Touch Screenwit TV)		High-tech aluminum alloy running board, shock absorption system, Machine size:2070*880*1600mm Net weight:224kg Running Area:1520*570mm Max User weight:227kg
XZ8001S	Commercial Treadmill		Machine size :210*96*153cm Motor power:3.0HP(2.2KW) Speed range:1-20km/h Incline degree:(0%-20%) Front and rear roller size :665*88*20mm Package size: A:wooden box:216*95*37cm B:Carton:102*96*35cm(1.11cbm) Running area:1550*580mm Net weight:170kg /Gross weight:210kg Max load:200KG 20ft :24pcs 40HQ :56pcs
XZ8001SA	Commercial treadmill (touch screen)		Machine size :210*96*155cm Motor power:3.0HP(2.2KW) Screen:32" LED Screen Speed range:1-20km/hIncline degree:(0%-20%)Front and rear roller size:665*88*20mm Package size: A:wooden box:216*95*37cmB:Carton:102*96*35cm(1.11cbm) Running area:1550*580mm Net weight:196kg/Gross weight:216kgMax loadt200KG 20tt :25pcs 40HQ :56pcs

XZ-T918	Commercial Treadmill (Keyboard)		Input power supply voltage:AC 220V±10% (50Hz or 60Hz) Rated power of motor:3HP-7HP(2.2KW) Speed :0-20.0(Km/h) Slope display range:0-20% Running area:1550*580mm Machine size:2090*876*1625mm PackingSize:205*94*45cm+90*55*23cm (0.98cbm) Running board heighth:27cm Roller size; 88mm N.W.:170kg G.W:216kg Max Loaded weight:180kg 20ft :24pcs 40HQ :57pcs
XZ-T918A	Commercial Treadmill (Touch screen with TV)		Input power supply voltage:AC 220V±10% (50Hz or 60Hz) Rated power of motor:3HP-7HP(2.2KW) Speed :0-20.0(Km/h) Slope display range:0-20% Running area:1550*580mm Machine size:2090*876*1625mm PackingSize:cm (0.98cbm) Running board heighth:27cm Roller size; 88mm N.W.:170kg G.W:216kg Max Loaded weight:180kg
XZ-T919	Commercial Treadmill (Keyboard)		Inverter: 3HP (continuous) / 7HP (peak) AC motor: 220V1/6HP AC lifting motor Electronic meter display: record laps, time, speed, distance, calories, heart rate, slope, etc. Thickness of running belt: 2.5mm thickness running belt, anti-static running board limit: 25mm double-sided wear-resistant layer Speed range: 1.0-20km/h Running area: 1550*595MM Screen size: 21.5 inches Slope range: 0-20 Electric adjustment Floor area: 2200*900*1750mm Packing size: wooden box 2200*950*470mm carton 950*700*350mm Net weight: 185KG Gross weight: 220KG Load: 180KG 20ft:19pcs 40HQ:47pcs
XZ-T919A	Commercial Treadmill (Touch screen)		Inverter: 3HP (continuous) / 7HP (peak) AC motor: 220V1/6HP AC lifting motor Electronic meter display: record laps, time, speed, distance, calories, heart rate, slope, etc. Thickness of running belt: 2.5mm thickness running belt, anti-static running board limit: 25mm double-sided wear-resistant layer Speed range: 1.0-20km/h Running area: 1550*595MM Screen size: 21.5 inches Slope range: 0-20 Electric adjustment Floor area: 2200*900*1750mm Packing size: wooden box 2200*950*470mm carton 950*700*350mm Net weight: 185KG Gross weight: 220KG Load: 180KG 20ft:19pcs 40HQ:47pcs

XZ-N925	Woodway Electric /Non-electric integrated treadmill		1.The treadmill adopts high-end overall design combined with high-tech concepts to enable users to have more experience.The modes are divided into ① quick start ② manual mode ③ user mode ④ P program (there are six P modes) ⑤ no power mode ⑥ resistance model. Function display: race ring slope time pulse calorie distance speed. Provided for users with different needs Variety of choices. The treadmill adopts a crawler-type running belt, which is formed by advanced composite materials as a whole, and incorporates a soft shock-absorbing pad to meet the requirements of high service life under strong load. The large bearing capacity and high shock absorption can absorb the impact of pedaling while reducing the rebound force, which can more effectively reduce the trigger pressure of the knee and protect the knee. At the same time, this running belt also has no requirements for training shoes, which can be barefoot and has a long service life 5.The material is solid, and the load-bearing capacity can reach up to 200KG. Running without shaking, enjoy the smooth running feeling. Net weight:190KG Gross Weight:230KG Packing size :180*100*66cm
XZ7001A	Keyboard treadmill		1).Germany FORBO SIEGLING none Daub Silicon Oil Running Belt 2) House power:Continuous 3.0HP Max:7.0HP 3) .Motor:more whisht AC motor 4).Controler:control speed by inverter 5).Speed:1-20km Slope:0-22% 6).Running belt: 600 (W) *3510 (C) mm Running area: 1630 (L) *600 (W) mm 7).Area machine covered: 2360*980 (L*W) mm 8).Package size: 2320*1040*680 (L*W*H) mm 9).N.W.: 217kg G.W.: 268kg Max loaded:190KG
XZ7001B	Touch screen treadmill		1).Germany FORBO SIEGLING none Daub Silicon Oil Running Belt 2) House power:Continuous 3.0HP Max:7.0HP 3) .Motor:more whisht AC motor 4).Controler:control speed by inverter 5).Speed:1-20km Slope:0-22% 6).Running belt: 600 (W) *3510 (C) mm Running area: 1630 (L) *600 (W) mm 7).Area machine covered: 2360*980 (L*W) mm 8).Package size: 2320*1040*680 (L*W*H) mm 9).N.W.: 217kg G.W.: 268kg Max loaded:190KG 19'inch touch screen
XZ8000A	Commercial Treadmill (Keyboard)		Input voltage:AC 220+/-10%(50HZ or 60HZ) Motor rate power :3.0HP-7.0HP(2.2KW) Speed :1.0-20.0km/h Slope:0-15% Running belt size:1720*600mm Machine size :2300*1000*1800mm Packing size:2310*1120*910mm N.W./G.W.:237kg/300kg 10pcs/20ft container ;30pcs /40HQ

XZ8001A	Commercial Treadmill (Keyboard)		1).Frequency converter:inverter control frequency 4.0HP/8.0HP(Max) AC motor:220V 2). Speed:1-20km Slope:0-20% 3). Aluminum frame 4).Display details :400mm circular runway ,counter ,time,speed,distance ,calorie,pulse,slope,fault diagnosis system 5).Running belt:620(W)*3510(C)mm Running area:1600(L)*620(W) 6).Area machine covered: 2050*950*1600(L*W*H)mm Package size: A:wooden box:212*96*44cm B:Carton:115*100*43cm/1.4cbm N.W.:210KG,G.W.:245KG Max load:200KG 21.5inch keyboard
XZ8001B	Commercial Treadmill (Touch screen)		1).Frequency converter:inverter control frequency 4.0HP/8.0HP(Max) AC motor:220V 2). Speed:1-20km Slope:0-20% 3). Aluminum frame 4).Display details :400mm circular runway ,counter ,time,speed,distance ,calorie,pulse,slope,fault diagnosis system 5).Running belt:620(W)*3510(C)mm Running area:1600(L)*620(W) 6).Area machine covered: 2050*950*1600(L*W*H)mm Package size: A:wooden box:212*96*44cm B:Carton:115*100*43cm/1.4cbm N.W.:210KG,G.W.:245KG Max load:200KG 21.5inch touch screen
XZ-8003S	Wood curve treadmill		Net:89KG Gross:116KG Machine size : 1430×800×1560mm Packing size : 1590×760×530mm Max Load: 150KG Running size : 1410×480mm
XZ8003A	Wood curve treadmill		Machine size:1750*750mm×1450mm Package size:1800*750*600mm Running belt:High strength woolen+soft material N.W.:123KG,G.W.:150KG Max User weight :180kg
XZ8003B	Air Runner		1. Appearance: The running belt is curved and the whole foot is on the ground. The impact force acts on the muscle first and then on the knee, thus reducing the knee damage to the lowest. 2. Running belt: high-strength plastic running belt, better elasticity, lower joint impact, safer and more reliable 3. The column adopts 170X66X3mm D-type high quality tube, which is beautiful and firm. 4. Display panel: 5-inch button control panel, which can display time, speed, distance, calories 5. Running area: 1500mm* 480mm 6. Safe speed limit: 0- 20km/h 7. Machine size: 1780*845* 1520mm 8. N.W. 150KG G.W. 170KG 9. Max Weight load: 180KG
XZ8003C	Curve Treadmill (Nylon belt)		1).Power:Non-electric ,4kinds of exercise mode 2).Running surface Area:1600mm×480mm 3).Speed limit range:0~20km/h 4). Nylon running belt(Aluminum alloy Optional) 5).Machine size:2000mm×900mm×1530mm 6).Package size:1810mm*1080mm*590mm 7) Working humidity: ≤80% N.W.:160KG,G.W.:180KG Max users weight:190kg

XZ8003D	Home curve treadmill		1)Max speed; 15km/h 2)Product material: Iron with PVC 3)With digital display ,show speed ,distance, time and calories 4)With safety handle 5)Running area: 40*120cm 6)Max.user weight: 150kgs 7)G.W/N.W:40/37kgs 8)Product size:134*72.8*28cm 9)Packing size:141*78*31cm 10)Container loading qty: 96pcs/20GP,212pcs/40HC
XZ8003E	Air Runner		1).Power:Non-electric ,4kinds of exercise mode 2).Running surface Area:1600mm×580mm 3).Speed limit range:0~20km/h 4). Nylon running belt(Aluminum alloy Optional) 5).Machine size:1810mm×8900mm×1600mm 6).Package size:1900mm*1020mm*640mm 7) Working humidity: ≤80% N.W.:120KG,G.W.:164KG Max users weight:180kg
XZ9001A	Commercial Treadmill (Keyboard)		1).Germany FORBO SIEGLING none Daub Silicon Oil Running Belt 2) .21.5'inch Keyboard AC motor 3).Heart rate:50-256(Times/Min) 4).Controler:control speed by inverter (Japan Mitsubishi Inverter optional) 5).Speed:1-20km Slope:0-22% 6).Running belt: 600 (W) *3310 (C) mm Running area: 1600 (L) *600 (W) mm 7).Area machine covered: 2200 (L) *1020 (W) *1700mm 8).Package size: wood case::216*95*40cm+carton 127*103*40cm (1.35cbm) 9).N.W.: 248kg G.W.: 268kg Max loaded:190KG 10). Horse power:Continuous 3.0HP Max:7.0HP
XZ9001B	Commercial Treadmill (Touch Screen)		1).Germany FORBO SIEGLING none Daub Silicon Oil Running Belt 2) .21.5'inch Touch screen with TV AC motor 3).Heart rate:50-256(Times/Min) 4).Controler:control speed by inverter (Japan Mitsubishi Inverter optional) 5).Speed:1-20km Slope:0-22% 6).Running belt: 600 (W) *3310 (C) mm Running area: 1600 (L) *600 (W) mm 7).Area machine covered: 2200 (L) *1020 (W) mm 8).Package size: wood case:220*100*55cm+carton 130*105*40cm 9).N.W.: 248kg G.W.: 268kg Max loaded:190KG 10). Horse power:Continuous 3.0HP Max:7.0HP
XZ-N910	Commercial Treadmill		1.18.5 inch keyboard 2.machine size:2210*980*1630mm 3.package size:2200*1070*670mm (1.58cbm) 4.N.W.:193kg G.W.:245kg 5.Running belt: 3319(L)*600(W)mm 6.Running area: 1600(L)*600(W)mm 7.Input Power Voltage:AC 220V+10%(50HZ/60HZ) 8.Power:3.0-7.0HP(2.2KW) 9.Speed:1-20km/h Slope:0-22% 10.Heart rate:50-256(Times/Min) 11.heat:000-999(K cal) 12.distance:0.00-99.9(km) 13.Display panel: 5-inch button control panel, which can display time, speed, distance, calories


XZ-N915	Commercial Treadmill		Input power supply voltage:AC 220V±10% (50Hz or 60Hz) Rated power of motor:3HP-7HP(2.2KW) Speed :0.5-20.0(Km/h) Slope display range:0-20% Running belt size:23.5*60inch Machine size:2150*930*1650mm PackingSize:200*100*66cm(1.452cbm) N.W.:210kg G.W:230kg Max Loaded weight:190kg
XZ-N916	Commercial Treadmill		Machine size : 2160*910*1530mm packing size: 2300*1150*660mm N.W.:193kg G.W.:245KG Running belt: 3319*600mm Running area: 1450*590mm Input power: AC 220V+10%(50HZor 60HZ) Power of motor: 3.0HP-7.0HP (2.2Kw)
XZ-N917	Commercial Treadmill(plastic)		Product Size:2110*980*1740mm Packing Size:1150*950*680mm;2200*950*450mm N.W./G.W.:190/215kg Running belt :3325*558mm; Runnning area:1420*558mm Voltage:AC 220v+10%(50HZ,18.6A) Power:3.0-7.0HP(2.2kw) Monitor :time ,distance ,speed ,heart rate,calories
XZ-N918	Commercial Treadmill		Monitor:LED time,speed,distance ,calorie ,heart rate Pillar material :Alluminum Motor power:3.0HP-7.0HP(2.2KW) Spped range :1-20km/h Slope:0-20% Input power :220V (50HZ or 60HZ) Running area:1653*560mm Machine size :2300*1000*1680mm Packing size:2310*1050*600mm N.W.:/G.W.:210kg /283kg Max load :200kg
Elliptical machines			
XZ1116A	Stair climber (Touch Screen Android)		Machine size: 1450*880*2140 N.W.: 205KG 20ft:10pcs /40ft:40pcs Resistance gear: 1-15
XZ1116B	Stair climber steel steps		The journey is endless and shines everyday Max load weight: 200 kg Step area: 1456CM2 Step size:56*26*13cm Total :8 steps Rated voltage: 220V /110V Machine size : L:1450mm*W:880mm*H:2140mm Packing Size:136*96*128 cm(1.67cbm) Net Weight: 160KG Gross Weight:210kg

XZ1116C	Stair climber Plastic steps		The journey is endless and shines everyday Max load weight: 200 kg Step area: 1456CM2 Step size:56*26*13cm Total :8 steps Rated voltage: 220V /110V Machine size : L:1450mm*W:880mm*H:2140mm Packing Size:136*96*128 cm(1.67cbm)Net Weight.: 150KG Gross Weight:190kg
XZ1116D	Stair climber Plastic steps		The journey is endless and shines everyday Max load weight: 200 kg Step area: 1456CM2 Step size:56*26*13cm Total :8 steps Rated voltage: 220V /110V Machine size : L:1450mm*W:880mm*H:2140mm Packing Size:136*96*128 cm(1.67cbm)Net Weight.: 150KG Gross Weight:190kg
XZ1116E	Stair climber		Product size:1420*830*2090mm step size :53*25*20cm Packing size:136*96*128cm Net/gross weight:195Kg/228Kg Maximum load: 200kg Input power: 220V,8.6A Heart rate: 40-180 beats/min Resistance gear: 1-15
XZ1117	Elliptical trainer(Lifefitness)		Self Generation Assembly Size:2170*750*1670mm Stride length:18"(46cm) Packing size:2215*645* 670mm /0.96CBM Net Weight:113kg Gross Weight:155kg Max user weight:180KG Container: 20ft 32pcs 40(HQ)72pcs
XZ1122A	Upright Bike		Assembled Size:1040*650*1310mm Packing size:1100*660*870mm Gross weight : 83kg Net weight:62kg Box size: 0.63cbm Container: 20ft 32pcs 40(HQ)108pcs
XZ1123A	Commercial Recumbent bike		Assembled Size:1740*650*1310mm Packing size:1810*700*800mm Gross weight : 97kg Net weight : 76kg Box size: 1cbm Container :20ft 27pcs 40(HQ)57pcs
XZ1117A	Elliptical trainer		Self Power Main Frame tube:120*60*3.0T Display :LCD Assembly Size:2080*750*1635mm Packing size:2100*700* 880mm Net Weight:118kg Gross Weight:135kg

XZ1117B	Elliptical trainer		1.The panel adopts LED double-color wide display window,which can simulate the display training mode and the state of motion,the technology of blue backlight keys makes users more comfortable easy to operate,dider visual angle more comfortable,no harm to eyes. 2.Display function:time distance speed calories heart rate and exercise mode 3.Mode :Combination of automatic mode and memory mode 4.The whole vehicle has the functions of hand-held heartbeat and heart rate recovery 5,Resistance control: Section 1-32EMS spontaneous electromagnetic control system 6.The flywheel adopts a precise adsorption resistance adjustment system with strong magnetic magnets 7.Power system:Self -generating type Advantages:1). Super large fixed handrails are safer and more comfortable 2).Super large foot pedal design softer and more comfortable 3),The vehicle platformis equipped with a storage box to facilitate the movement of small parts such as mobile phones 4) The car is and electromagnet controlled self -generating system with high precision resistance Assembled Size :2100*640*1800mm Stride length:34.65"(88cm) Packing Size:213*73.5*89.5cm Small packing size:116*72*87cm N.W./G.W:137KG/174KG Max user weight :160kg.
XZ1122	Upright Bike		Machine size:111X56X148cm Packing size :143*62*77cm /0.68cbm Dispaly:Speed/Time/Dis./Calories/Heart rate Gear:32 levels ◆N.W: 65KG G.W: 85KG Max capacity:150kg
XZ1123	Commercial Recumbent bike		Machine Size: 183*68*90cm Packing size: 172*68*93cm/1.09cbm Gear:32 levels adjustment Dispaly:Speed/Time/Dis./Calories/Heart rate Weight: N.W/G.W.:90/110KG Max capacity:200kg
XZ1117C	Commercial Elliptical trainer		1.Display: time,distance,calories,speed,heart rate,etc. 2.Pattern:automatic and memory pattern combine 3.The main strength control:1-20 grade,EMS self power magnetic control system 4.flywheel adopt strong magnet precise adsorpt resistance adjustment system 5.Power system:self power Advantage: 1.Super large foam armrest,more safe,more comfort 2.Super large pedal design,more soft and comfortable 3.Equip with storage box,can put little parts 4.Electromagnet controls self power system,with high precision resistance Machine size:2050*660*1800mm Packing size:213*73*92mm/1.43cbm N.W.:110kg G.W.:145kg Max capacity:160kg
XZ1117D	Commercial Elliptical trainer (electric or self generation)		Display: time,distance,calories,speed,heart rate flywheel:10kg 1-24 levels resistance adjust Machine size :200*60*170cm Packing size:195*58*80cm ,Net weight :110kg Gross weight :140kg Max load:150kg

XZ1118	Magnetic elliptical trainer		Manual control Machine Size: 210X76X163cm Packing Size:147×63×90cm /0.84cbm N.W./G.W.: 92/107kg Max capacity:180kg tube spec. 60*120 oval tube 50*120 Flat elliptical tube Dia:40 round tube 40*80 Rectangular tube 50*50 square tube Dia:30 round tube
XZ1119	Stepper		1 With regular LCD with backlight computer "SE5201-67" -, computer Optional. 2. Multiple Display for 12 Program Profiles+4 user's memory," Speed", "Rpm", "Time", "Distance", "Watt", "Calories", "Pulse" with "Watt Control", "heart Rate Control" and special "Recovery" function 3. EMS power system, with 18V transformer 4. With High Power Magnet and Flywheel to get sufficient tension torque and consistent resistance 5. With 16-step tension control system 6. With Hand-Pulse System for Heart Rate Display 7. Container loading: 40 pcs / 20' FCL, 85pcs / 40' FCL, 95 pcs / 40' HQ 8. Carton Size: 1370 * 600 * 865mm 9. Set up size: 1300 *950 *1860mm 10. Net Weight: 78 KGS, Gross Weight: 98 KGS 11. Max user weight: 150kgs
XZ1124	Commercial Cross trainer		Machine Size: 219*65*172cm Packing size:220*60*85cm Weight: N.W/G.W.:114/144KG Max capacity:200kg
XZ1125	Stepper		Machine size:130*75*170cm Display:Speed/Time/Dis./Calories/Heart rate Weight: N.W/G.W.:100/120KG Max capacity:150kg
XZ1126	Climing/Elliptical trainer		Machine size:100*55*151cm New weight :35kg,Gross weight :40KG wheel weight :10kg Gear:8 levels adjustment Packing size :95*34.5*81cm
Dumbbells/Barbell Set(Fitness Accessories)			
XZ-N001	Adjustable dumbbell		24kg/52.5lbs packing size: 56*35*30cm
			40kg/90lbs Packing size: 66*43*43cm
XZ-N001B	Dumbbell set rack		fit for 2pcs
XZ-AD001	Adjustable dumbbell		20kg(2kg-4kg-8kg--12kg-16kg-20kg) packing size:46*26*30cm 0.036cbm
			32kg(2kg-4kg-8kg-16kg-20kg-24kg-28kg-32kg) packing size:57*27*30cm 0.046cbm


XZ-AD001	Adjustable dumbbell		24kg(2kg-4kg-8kg--12kg-16kg-20kg,24kg) packing size:47*27*30cm 0.038cbm
XZ-AD001	Adjustable dumbbell		20KG (2kg-4kg-6kg--8kg-10kg-12kg-14kg-16kg-18kg-20kg)2KG Jump
			32KG (2kg-4kg-6kg--8kg-10kg-12kg-14kg-16kg-18kg-20kg-22kg-24kg-26kg-28kg-30kg-32kg)2KG Jump
XZ-AD001B	Dumbbell set rack		Packing size :70*60*14cm N.W./G.W:17kg/18kg
XZ-AD001C	Steel adjustable dumbbell		steel plates, Aluminum handle 3kg,4kg....32kg 1kg jump
XZ-AD001D	Women adjustable dumbbell		14.5lbs/pcs
XZ-N002	Centrifugal impedance trainer		Machine size:1180*570*340mm Packing size:1180*570*340mm N.W.:33KG G.W.:35KG Color:black,green,silver grey
XZ-N003	Medipull Wall Pulley		Pull Tension:level 1:2.5kg level 2:5kg level 3:7.5kg Level adjust:3 resistance levels Product size:130*120*275mm N.W.:0.97KG,G.W.:1.29KG Rope Length:1.9m
XZ001	Rubber dumbbell		2.5,5,7.5,10,- 50kg(2.5kg Increment)
XZ002	Hex Rubber dumbbell		Round steel: 1-10kg (1kg increment)2.5kg,7.5kg available, 12.5-60kg (2.5kg Increment)
XZ003	Round steel dumbbell		High - grade electroplating handle, ball round steel, integral welding;Surface rubber, two TPU marks.2.5/5/7.545/47.5/50KG (2.5kg increment)
XZ003B	Precor Rubber dumbbell		2.5,5,7.5,10,-50(2.5Increment)

XZ004A	TPU dumbbell		2.5,5,7.5,10,-50(2.5Increment)
XZ004	CPU dumbbell(Americia captain)		2.5,5,7.5,10,-50(2.5Increment)
XZ005	LifeFitness CPU round steel dumbbells		2.5/5/7.5.....45/47.5/50KG(2.5kg increment) or 2kg,4kg,6kg....50kg 2kg increment
XZ005B	Technogym CPU dumbbell		2.5/5/7.5.....45/47.5/50KG(2.5kg increment)
XZ005C	Hammer PU dumbbell		2.5/5/7.5.....45/47.5/50KG(2.5kg increment)
XZ005D	Precor PU dumbbell		2.5,5,7.5,10,-50(2.5Increment)
XZ006	PU Amercian style Plates		2.5/5/10/15/20/25
XZ007	Captain America CPU barbell		2.5/5/10/15/20/25
XZ008	Steel Chrome Dumbbell		From 1kg to 10kg in 1kg increase
XZ009	Hand grasp barbell Weight plate		2.5kg,5kg,10kg, 15kg,20kg,25kg,
XZ009B	Weight plates		2.5lbs,5lbs,10lbs,25lbs,35lbs,45lbs
XZ011	3 Holes Black Rubber Coated Weight Plate		2.5kg,5kg,10kg, 15kg,20kg,25kg,

XZ012	TPU black weight plates		2.5kg,5kg,10kg, 15kg,20kg,25kg,
XZ013	TPU Color weight plates		2.5kg,5kg,10kg, 15kg,20kg,25kg,
XZ014	TPU Hammer weight plate		2.5kg,5kg,10kg, 15kg,20kg,25kg,
XZ015	PU weight plates		2.5kg,5kg,10kg, 15kg,20kg,25kg,
XZ016	LifeFitness Plates(kg)		2.5/5/10/15/20/25KG
XZ016B	Technogym CPU weight plates		2.5/5/10/15/20/25KG
XZ016C	Hammer PU weight plates		2.5/5/10/15/20/25KG
XZ016D	Precor Rubber weight plates		2.5/5/10/15/20/25KG
XZ016E	Precor PU weight plates		2.5/5/10/15/20/25KG
XZ017	Body Pump Set		1.25 2.5,5(20kg set)
XZ017B	Barbell sets (Lesmills)		(1kg, 2.5kg,5kg)*2 (20kg set)
XZ018	Fixed Curl Rubber Barbell		10,15,20,25-50 55(5kg increment)




XZ019	Fixed Straight Rubber Barbell		10,15,20,25-50 55(5kg increment)
XZ019B	Fixed CPU Straight/Curl barbell		10,15,20,25-50(5kg increment)
XZ020	10 Fixed Barbell Rack		fit for 10pcs
XZ021	PU Fixed straight ,curl barbell		10,15,20,25,30,35,40,45,50kg
XZ022			10/15/20/25/30/35/40/45/50 kg
XZ022A	PU Fixed straight ,curl barbell		10/15/20/25/30/35/40/45/50 kg
XZ022B	Rubber Fixed straight ,curl barbell		10/15/20/25/30/35/40/45/50 kg
XZ023	Bumper plate		5kg,10kg, 15kg,20kg,25kg,(10/25/35/ 45/55LB)
XZ024	Color Bumper plate (Red,Blue,Yellow, Green color for choice)		5kg,10kg, 15kg,20kg,25kg,(10/25/35/ 45/55LB)
XZ025	Rubber Competition Plates		5kg/10/15/20/25kg(10/25/35/ 45/55LB)
XZ026	PU Bumper plate		10/25/35/ 45/55LB
XZ027	Cast Iron Kettlebell		4, 6, 8, 10, 12,14, 16,18, 20, 24, 28, 32, 36, 40,44,48kg
XZ027B	Cast Iron Kettlebell		4, 6, 8, 10, 12,16,18,20, 24, 28, 32,36,40,44,48kg/9LB,13LB,18LB,22LB,26LB,35LB,40LB,44LB,53LB,62LB,71LB,80LB,88LB,106LB



XZ028	Vinyl Dipped Kettlebell		2kg,4kg,6kg,8kg,12kg,14kg,16kg,20kg,24kg,28kg,32kg
XZ029	Competition Kettlebell		6/8/10/12/16/20KG
XZ030	CPU Kettlebell		4kg,6kg,8kg,12kg,16kg,20kg,24kg,28kg,32kg
XZ030A	Kettlebell rack		Size:100*52*70cm N/G weight: 30kg/32kg
XZ030B	Kettlebell rack		Size:120*52*70cm N/G weight: 38kg/40kg
XZ030C	Kettlebell rack		Size:150*52*70cm N/G weight: 45kg/47kg
XZ031A	Multi-Functional Dumbbell Training Box(Bench)(Dumbbells are not included)		Package Size: 1270*290*465mm product size : 1250*280*450mm N.W.G.W: 47kg/50kg Tube thickness: 3mm
XZ032B	3 layer Hex dumbbell rack		N.W.: 28kg G.W.: 30kg,tube size : 50*50*1.8mm connect tube:4mm thickness Packing size:108*73*13.5cm+123*8.5*8.5cm
XZ031	Vinyl dumbbell		1/2/3/4/5/6/7/8/9/10kg
XZ032			0.5/1/2/3/4kg
XZ031B	Dumbbell rack		one rack without dumbbell (10pairs,20pcs),size:47*47*101CM,packing size :96*46*14cm
XZ033	Olympic Bar		50mm Olympic chrome bar 1200mm long
XZ034			50mm Olympic chrome bar 1520mm long
XZ035			50mm Olympic chrome bar 1820mm long
XZ036			50mm Olympic chrome bar 2200mm long (load 130kg)
XZ037			50mm Olympic chrome bar 2200mm long (load 270kg)
XZ038			50mm Olympic chrome bar 2200mm long (load 450kg/1000lbs)
XZ039			50mm Olympic chrome bar 2200mm long (load 680kg/1500lbs)
XZ040	EZ Curl Bar		50mm Olympic Chrome EZ bar 1200mm
XZ041	Men's bar		50mm Olympic chrome bar 2200mm long (load 680kg/1500lbs)black zinc,two copper sleeves, 4 bearings

XZ041B	womens bar		1800mm Load 700LBS 4 bearings
XZ042	OB-34 bar		34inch long
XZ043	OB-64 bar		64inch long
XZ044	Nylon Collar		
XZ045	Aluminum Collar		
XZ046	Spring collar		
XZ047	Paralettes		
XZ048	10 Pairs Vertical Dumbbell Rack		20kg/pc
XZ049	Dumbbell rack		for 1-10kg small dumbbells
XZ050	NBR Yoga Mat		1800*610*10
XZ051	Yoga Mat (PVC)		1730*610*6mm
XZ052			1730*610*8mm
XZ053	Yoga Mat (TPE)		1830*610*6mm
XZ054	BUSU ball		Diameter: 58cm
XZ055			Length 9m,diameter 25mm one pc

XZ056	Battle Rope		Length 9m,diameter 38mm one pc
XZ057			Length 12m,diameter 25mm one pc
XZ058			Length 12m,diameter 38mm one pc
XZ059			Length 15m,diameter 38mm one pc
XZ060			Length 15m,diameter 50mm one pc
XZ061	Daul use AB wheel		PVC、natural native adhesive 42*25cm
XZ062	Double wheels		ABS、EVA、LATEX 20.5*14cm
XZ063	AB wheel		ABS、EVA、LATEX 32*15cm
XZ064	Climbing rope		Professional climbing rope, hemp rope material, with steel suspension head 6m*50mm
XZ065	Wall ball		PU embossing. Filled High elastic silk cotton sand 2kg/3kg/4kg/5kg/6kg/7kg/8kg/9kg/10kg/12kg
XZ066	Medicine ball		1kg, 2kg... 10kg
XZ067	Medchine ball		Anti-skid resistance of high quality rubber raw material Size:3/4/5/6/7/8/9/10kg
XZ068	Yoga ball		PVC: Dia:65cm
XZ069			Dia:75cm
XZ070	Anti-burst ballyoga ball		PVC: Dia:65cm
XZ071			Dia:75cm
XZ072	High-grade professional yoga ball		surface with anti-slip treatment, with the fitness printing pattern: Dia:65cm/75cm
XZ073			

XZ074	Massage Ball		φ75cm
XZ075	TRX Rope		1 set
XZ076	Dynamic Rope		3pcs 1set ,15LB, 20LB,30LB
XZ077	TRX Rip		Latex pipe of steel tube with steel tube ,2.6KG Length 52CM ,Dia:2.5CM Stretch fabric length:182CM
XZ078	TRX Wall buckle		Steel,surface treatment with stoving varnish Dia:8cm
XZ079	Gymnastics rings		Dia:32CM wood handle, Widening thickening wool weaves, 6M length
XZ080	Speed skip ropes		
XZ081	skip ropes		rubber jump rope
XZ082	Power bag		PU embossing. Filled High elastic silk cotton sand 5kg
XZ083			10kg
XZ084			15kg
XZ085			20kg
XZ086			25kg
			30kg
XZ087	Boxing Glove		PU Coated ,Pearl cotton 1pair
XZ088			68*28.5*10/15
XZ089			70.5*27.5*12.5

XZ090	Steps		80*30*10/15/20	
XZ091			Adjustable Height	Size: 108*41.5*10/15/20
XZ092			101*38.5*10/15/20	
XZ093			89*36*15/20	
XZ094A	wood jump box		50*60*76CM	
XZ094	Jump box		65*45*75cm	
XZ095	Soft jump box		15cm、30cm、45cm、60cm、	
XZ096	PVC Mat		100*100*2cm 1.9kg/sqm	
XZ097	Two face EVA Foam Flooring		100cmx100cmx3cm 2.3kg/sqm	
XZ098	Rubber Flooring		100cmx100cmx15mm	
			100cmx100cmx20mm	
			100cmx100cmx25mm	
XZ099	Rubber Flooring in roll		Wide:1m or 1.25m *3mm	
XZ100			Wide:1m or 1.25m *6mm	
XZ101			Wide:1m or 1.25m *8mm	
XZ102			Wide:1m or 1.25m *10mm	
XZ103			Wide:1m or 1.25m *12mm	
XZ104	Rubber mat (Black, Red, Green, Grey, Blue Color)		500*500*15mm	
			500*500*20mm	
XZ105			500*500*25mm	
XZ106			500*500*30mm	

XZ107			500*500*35mm
XZ108	High density Rubber mat (Color point) with protective film		100*100*1.5cm
XZ109			100*100*2.0cm
XZ110			100*100*2.5cm
XZ111			100*100*3.0cm
XZ-G104	Massage Gun		24V 2500mah
XZ-HL105	Hola Hoop		ABS
XZ-HL106	Hola Hoop (with timer)		ABS
AB01	1" x 28"		4
AB02	1" x 45"		5.5
AB03	1" x 45"		5.5
AB04	1" x 48"		7.5
AB05	1" x 36"		5
AB06	1" x 48"		8
AB07	1" x 32"		4.5
AB08	1" x 24"		3.5
AB09	1"x32"		4.5
AB10	1"x16"		3.5
AB11	1"x28"		1
AB12	1" x 18"		4.5

AB13	1" x 6"		1.2
AB14	1" x 6"		2
AB15	1" x 20"		3.5
AB16	1" x 22"		4
AB17	1"x6"		2.5
AB18	1" x 32"		4
AB19	1" x 18"		2.5
AB20	1" x 20"		3
AB21			0.5
AB22			1.2
AB23			3.2
AB25	B30 Bar for dumbbells		
AB26	Olympic squat safety Bar		
AB27A	Handle accessories 5pcs set		Net weight:12kg,G.W.:13.5KG 850*283*200(mm) (Carton) Packing size
AB27B	Handle accessories 5pcs set(thickened version)		N.W.: 16kg,G.W.:17kg Packing size:850*283*200(mm) (Carton)
AB28A	Handle accessories 8pcs set		22.5kg/23.5kg850*283*200(mm) (Carton)
AB28B	Handle accessories 8pcs set(thickened version)		25kg/26kg 850*283*200(mm) (Carton)

AB30A	Pearl cotton packaging 5pcs set		13kg/15kg 940*600*150MM
AB30B	Pearl cotton packaging 5pcs set (thickened version)		16kg,18kg 940*600*150MM
AB31	Handle accessories 8pcs set(Black,red ,green)		N/G weight:19kg/20kg 40*100*1000 (mm) 620*320*220 (mm) (Carton)